

SPOTNAILS®

QUALITY TOOLS & FASTENERS





Weight: 8 lbs. 6 oz.
Dimensions: 21" L x 4" W x 13-3/4" H

NPR90 21° FRAMING NAILER


Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
NPR90	50 - 75 Nails	2" to 3 - 1/2" 50mm to 90mm	.113 - .148	Restrictive

Applications:

Crating, Decking, Fencing, Framing, Pallet Manufacturing, Pallet Repair, Sheathing, Wall Paneling Construction

Features:

Uses Spotnails® 20-22° Nails, Bump Fire Plunger Included, Belt Hook Available (P-97469), Flush Drive Attachment Available (AS-99076), Rubber Grip for Comfort, Safety Glasses



Weight: 8 lbs. 6oz.
Dimensions: 16-1/2" L x 4-1/2" W x 14-1/2" H

NTD90 31° CLIPPED HEAD FRAMING NAILER

Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
NTD90	89 Nails	2" to 3-1/2" 50mm to 90mm	.113 - .148	Restrictive

Applications:

Crating, Decking, Fencing, Framing, Pallet Manufacturing, Pallet Repair, Sheathing, Wall Paneling Construction

Features:

Uses Spotnails® 31° Paper Tape Strip Nails, Bump Fire Plunger Included, Belt Hook Available (P-97469), Flush Drive Attachment Available (AS-99076), Rubber Grip for Comfort, Safety Glasses



Weight: 5 lbs. 2 oz.
Dimensions: 12" L x 5-3/4" W x 13" H

QCND65 0° PLASTIC COLLATED NAILER

Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
QCND65	300 Nails	1-1/4" to 2-1/2" 32mm to 64mm	.083 - .099	Selectable

Applications:

Decking, Exterior Trim, Fencing, Pallet Manufacturing, Pallet Repair, Sheathing, Siding

Features:

Uses Spotnails® CPD 0° Plastic Insertion Nails (Duo-Fast® Type), 360° Adjustable Exhaust, Adjustable Depth Control, Easy Maneuverability, Nail Basket, Rubber Grip for Comfort, Safety Glasses



Weight: 4 lbs. 7 oz.
Dimensions: 12-1/4" L x 5" W x 12-1/2" H

UCNM65 15° PLASTIC OR WIRE COLLATED NAILER

Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
UCNM65	300 Nails	1-1/4" to 2-1/2" 32mm to 64mm	.083 - .099	Selectable

Applications:

Decking, Exterior Trim, Fencing, Pallet Manufacturing, Pallet Repair, Sheathing, Siding

Features:

Uses Spotnails® 15° Plastic Insertion or Wire Weld Coil Nails, 360° Adjustable Exhaust, Adjustable Depth Control, Easy Maneuverability, Nail Basket, Rubber Grip for Comfort, Safety Glasses





Weight: 8 lbs. 2 oz.
Dimensions: 13-1/2" L x 5" W x 12-3/4" H

PT-CN70 PALLET NAILER

Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
PT-CN70	300 Nails	1-3/4" to 2-3/4" 45mm to 70mm	.090 - .113	Bump

Applications:

Crating, Decking, Exterior Trim, Fencing, Pallet Manufacturing, Pallet Repair, Sheathing, Wall Paneling Construction

Features:

Uses Spotnails® Pallet Nails, Adjustable Depth Control, Easy Maneuverability, Nail Basket, Rubber Grip for Comfort, Safety Glasses



Weight: 5 lbs. 6 oz.
Dimensions: 10-1/4" L x 4" W x 11" H

YRN45 COIL ROOFING NAILER


Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
YRN45	120 Roofing Nails	3/4" to 1-3/4" 19mm to 45mm	.120	Selectable

Applications:

Roofing, Shingle Installation

Features:

Uses Spotnails® Coil Roofing Nails, 360° Adjustable Exhaust, Adjustable Depth Control, Easy Maneuverability, Nail Basket, Rubber Grip for Comfort



Weight: 5 lbs. 9 oz.
Dimensions: 15" L x 4-1/2" W x 10-1/2" H

MT9764 T-NAILER

Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
MT9764	80 T-Nails	5/8" to 2-1/2" 16mm to 64mm	.097	Restrictive

Applications:

Fastening Tack Strips to Concrete

Features:

360° Adjustable Exhaust, Adjustable Depth Control, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses



Weight: 4 lbs. 10 oz.
Dimensions: 14-1/4" L x 3-1/2" W x 10" H

X1T8664 T-NAILER


Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
X1T8664	100 T-Nails	5/8" to 2-1/2" 16mm to 64mm	.086	Restrictive

Applications:

Fastening Tack Strips to Concrete

Features:

Uses Spotnails® T08611H, 360° Adjustable Exhaust, Adjustable Depth Control, Easy Maneuverability, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses





Weight: 4 lbs. 4 oz.
Dimensions: 13-1/4" L x 3" W x 9-1/4" H

XBA1564 15 GAUGE DA ANGLE FINISH NAILER


Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
XBA1564	100 Angle Brads	1" to 2-1/2" 25mm to 64mm	15	Restrictive

Applications:

Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Exterior Trim, Finish Carpentry, Hardwood Flooring, Trim Molding

Features:

Uses *Spotnails*® 15 Gauge DA Brads (Similar to Senco® DA), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rear Load Magazine, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses



Weight: 4 lbs. 4 oz.
Dimensions: 10" L x 3" W x 10-1/2" H

XB1564 15 GAUGE FINISH NAILER

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
XB1564	100 Brads	1" to 2-1/2" 25mm to 64mm	15	Restrictive

Applications:

Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Finish Carpentry, Hardwood Flooring, Trim Molding

Features:

Uses *Spotnails*® 15 Gauge Brads, 360° Adjustable Exhaust, Adjustable Depth Control, No Mar Tips, Quick Clear Nose, Rear Load Magazine, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses



Weight: 3 lbs. 9 oz.
Dimensions: 9" L x 2-1/2" W x 9-1/2" H

W1B1650 16 GAUGE BRADDER

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
W1B1650	100 Brads	1" to 2" 25mm to 50mm	16	Selectable

Applications:

Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Finish Carpentry, Hardwood Flooring, Trim Molding

Features:

Uses *Spotnails*® 16 Gauge Brads, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rear Load Magazine, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Long Magazine Available (W1B1650LM)



Weight: 2 lbs. 4 oz.
Dimensions: 10-1/2" L x 2" W x 9" H

CB1650 16 GAUGE BRADDER

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
CB1650	115 Brads	3/4" to 2" 19mm to 50mm	16	Restrictive

Applications:

Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Finish Carpentry, Hardwood Flooring, Trim Molding

Features:

Uses *Spotnails*® 16 Gauge Brads, 360° Adjustable Exhaust, Aluminum Magazine, Bump Fire Trigger Included, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Safety Glasses



Weight: 3 lbs. 9 oz.
Dimensions: 9" L x 2-1/2" W x 9-1/2" H

W1B1850 18 GAUGE BRADDER

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
W1B1850	100 Brads	1" to 2" 25mm to 50mm	18	Selectable

Applications:

Cabinet Assembly, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding

Features:

Uses *Spotnails*® 18 Gauge AX Brads, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rear Load Magazine, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Long Magazine Available (W1B1850LM)





Weight: 2 lbs. 3 oz.
Dimensions: 10" L x 2" W x 8" H

EB1832 18 GAUGE BRADDER

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
EB1832	100 Brads	3/8" to 1-1/4" 10mm to 32mm	18	Bump

Applications:

Cabinet Assembly, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding

Features:

Uses Spotnails® 18 Gauge AX Brads, 360° Adjustable Exhaust, Aluminum Magazine, Economical, Rubber Grip for Comfort, Plastic Carrying Case



Weight: 2 lbs. 4 oz.
Dimensions: 10-1/2" L x 2" W x 9" H

CB1850 18 GAUGE BRADDER

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
CB1850	100 Brads	1/2" to 2" 12mm to 50mm	18	Restrictive

Applications:

Cabinet Assembly, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding

Features:

Uses Spotnails® 18 Gauge AX Brads, 360° Adjustable Exhaust, Easy Maneuverability, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses



Weight: 3 lbs. 0 oz.
Dimensions: 9" L x 2-1/2" W x 8-1/4" H

TB1840 18 GAUGE BRADDER

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
TB1840	100 Brads	1" to 1-9/16" 25mm to 40mm	18	Selectable

Applications:

Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding

Features:

Uses Spotnails® 18 Gauge AX Brads, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rear Load Magazine, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses



Weight: 2 lbs. 3 oz.
Dimensions: 10" L x 2" W x 8" H

CB1832 18 GAUGE BRADDER

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
CB1832	100 Brads	3/8" to 1-1/4" 10mm to 32mm	18	Restrictive

Applications:

Cabinet Assembly, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding

Features:

Uses Spotnails® 18 Gauge AX Brads, 360° Adjustable Exhaust, Aluminum Magazine, Easy Maneuverability, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses, No Mar Safety Available (AS-53078)



Weight: 2 lbs. 9 oz.
Dimensions: 10-1/4" L x 1-1/2" W x 7-1/2" H

SP2340 23 GAUGE PINNER


Tool	Pin Capacity	Pin Range	Gauge	Firing Mode
SP2340	100 Pins	1/2" to 1-9/16" 12mm to 40mm	23	Bump

Applications:

Cabinet Assembly, Drawer Assembly, Furniture Assembly, Trim Molding

Features:

Uses Spotnails® 23 Gauge Pins, Full Pin Range is 1/2" (12mm), 5/8" (15mm), 3/4" (18mm), 7/8" (22mm), 1" (25mm), 1-3/16" (30mm), 1-3/8" (35mm), 1-9/16" (40mm), Aluminum Magazine, Automatic Height Adjuster for Fasteners, Plastic Carrying Case, Rubber Grip for Comfort



STAPLERS - 14, 15 AND 16 GAUGE




Weight: 5 lbs. 1 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

MS2440 14 GAUGE WIDE CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
MS2440	130 Staples	7/8" to 1-1/2" 22mm to 38mm	14	Restrictive

Applications:
Truss Manufacturing

Features:
Uses *Spotnails*® 2400 Staples (Similar to *Paslode*® GSW14), 360° Adjustable Exhaust, Adjustable Depth Control, Heavy Duty, Rubber Grip for Comfort, Powerful, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses




Weight: 5 lbs. 7 oz.
Dimensions: 14-1/2" L x 4" W x 11" H

MS6564 15 GAUGE MEDIUM CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
MS6564	138 Staples	1-1/4" to 2-1/2" 32mm to 64mm	15	Restrictive

Applications:
Crating, Pallet Manufacturing

Features:
Uses *Spotnails*® 6500 Staples (Similar to *Senco*® Q), 360° Adjustable Exhaust, Adjustable Depth Control, Heavy Duty, Powerful, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses




Weight: 5 lbs. 9 oz.
Dimensions: 14-1/2" L x 4-1/2" W x 10-1/2" H

MS7564 15 GAUGE MEDIUM CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
MS7564	138 Staples	1-1/2" to 2-1/2" 40mm to 64mm	15	Restrictive

Applications:
Crating, Pallet Manufacturing

Features:
Uses *Spotnails*® 7500 Staples, (Similar to *Bostitch*® BCS15S4), 360° Adjustable Exhaust, Adjustable Depth Control, Heavy Duty, Powerful, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses, *Long Magazine Available* (MS7564LM)




Weight: 5 lbs. 1 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

X1S1640 16 GAUGE WIDE CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S1640	150 Staples	5/8" to 1-1/2" 16mm to 38mm	16	Selectable

Applications:
Crating, Fastening Corrugated Packaging, Insulation Installation, Lathing*, Packaging, Roofing*, Shingle Installation, Wall Paneling Construction

Features:
Uses *Spotnails*® 1600 Staples (Similar to *Bostitch*® 16S2), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), **Lathing Safety* (AS-53085) and *Roofing Safety* (AS-53086) Available




Weight: 5 lbs. 2 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

X1S1650 16 GAUGE WIDE CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S1650	150 Staples	1" to 2" 25mm to 50mm	16	Selectable

Applications:
Lathing*, Wall Paneling Construction

Features:
Uses *Spotnails*® 1600 Staples (Similar to *Bostitch*® 16S2), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), **Lathing Safety* (AS-53085) Available






Weight: 5 lbs. 2 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

X1S1664 16 GAUGE WIDE CROWN STAPLER TO 2-1/2" MAX

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S1664	150 Staples	1" to 2-1/2" 25mm to 64mm	16	Selectable

Applications:
Lathing*

Features:
Uses Spotnails® 1600 Staples (Similar to Bostitch® 16S2), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), *Lathing Safety (AS-53085) Available




Weight: 5 lbs. 1 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

X1S2640 16 GAUGE WIDE CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S2640	150 Staples	5/8" to 1-1/2" 16mm to 38mm	16	Selectable

Applications:
Crating, Fastening Corrugated Packaging, Insulation Installation, Lathing*, Packaging, Roofing*, Shingle Installation, Wall Paneling Construction

Features:
Uses Spotnails® 2600 Staples (Similar to Paslode® GSW16), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), *Lathing Safety (AS-53085) and Roofing Safety (AS-53086) Available




Weight: 5 lbs. 2 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

X1S2650 16 GAUGE WIDE CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S2650	150 Staples	1" to 2" 25mm to 50mm	16	Selectable

Applications:
Lathing*, Wall Paneling Construction

Features:
Uses Spotnails® 2600 Staples (Similar to Paslode® GSW16), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), *Lathing Safety (AS-53085) Available




Weight: 5 lbs. 1 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

X1S3640 16 GAUGE WIDE CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S3640	150 Staples	1/2" to 1-1/2" 25mm to 38mm	16	Selectable

Applications:
Crating, Fastening Corrugated Packaging, Insulation Installation, Lathing*, Packaging, Pallet Manufacturing, Roofing*, Shingle Installation, Wall Paneling Construction

Features:
Uses Spotnails® 3600 Staples (Similar to Senco® P & Duo-Fast® 1700), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), Long Magazine Available (X1S3640LM) *Lathing Safety (AS-53085) and Roofing Safety (AS-53086) Available




Weight: 5 lbs. 2 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

X1S3650 16 GAUGE WIDE CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S3650	150 Staples	1" to 2" 25mm to 50mm	16	Selectable

Applications:
Lathing*, Wall Paneling Construction

Features:
Uses Spotnails® 3600 Staples (Similar to Senco® P & Duo-Fast® 1700), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), *Lathing Safety (AS-53085) Available



MEDIUM CROWN STAPLERS



Weight: 4 lbs. 8 oz.
Dimensions: 14-1/2" L x 4" W x 10" H

X1S6650 16 GAUGE MEDIUM CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S6650	150 Staples	5/8" to 2" 16mm to 50mm	16	Selectable


Applications:

Bedding, Cedar Shingle Installation, Crating, Door & Window Manufacturing, Millwork-Door Jams, Plywood Wall Sheathing, Sheathing, Siding, Wall Paneling Construction

Features:

Uses Spotnails® 6600 & 5600 Staples (Similar to Senco® N, Bostitch® 16S5, Duo-Fast® 7600, Paslode® GS116), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), Long Magazine Available (X1S6650LM)

7/16" Crown



For Extra Power!



Weight: 5 lbs. 7 oz.
Dimensions: 14-1/2" L x 4-1/2" W x 10-1/2" H

MS6650i 16 GAUGE INDUSTRIAL MEDIUM CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
MS6650i	150 Staples	5/8" to 2" 16mm to 50mm	16	Restrictive


Applications:

Bedding, Cabinet Assembly, Crating, Door & Window Manufacturing, Furniture Assembly, Millwork-Door Jams, Plywood Wall Sheathing, Sheathing, Wall Paneling Construction

Features:

Uses Spotnails® 6600 & 5600 Staples (Similar to Senco® N, Bostitch® 16S5, Duo-Fast® 7600, Paslode® GS116), 360° Adjustable Exhaust, Adjustable Depth Control, Heavy Duty, Powerful, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses, Long Magazine Available (MS6650iLM)

7/16" Crown



Weight: 4 lbs. 8 oz.
Dimensions: 14-1/2" L x 4" W x 10" H

X1S76-8650 16 GAUGE MEDIUM CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S76-8650	150 Staples	5/8" to 2" 16mm to 50mm	16	Selectable


Applications:

Bedding, Cedar Shingle Installation, Crating, Door & Window Manufacturing, Furniture Assembly, Millwork-Door Jams, Plywood Wall Sheathing, Sheathing, Siding, Wall Paneling Construction

Features:

Uses Spotnails® 7600 & 8600 Staples (Similar to Bostitch® 16S4 & Paslode® GS16), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105)

1/2" Crown



For Extra Power!



Weight: 5 lbs. 7 oz.
Dimensions: 14-1/2" L x 4-1/2" W x 10-1/2" H

MS76-8650i 16 GAUGE INDUSTRIAL MEDIUM CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
MS76-8650i	150 Staples	3/4" to 2" 19mm to 50mm	16	Restrictive

Applications:

Bedding, Cabinet Assembly, Crating, Door & Window Manufacturing, Furniture Assembly, Millwork-Door Jams, Plywood Wall Sheathing, Sheathing, Wall Paneling Construction

Features:

Uses Spotnails® 7600 & 8600 Staples (Similar to Bostitch® 16S4 & Paslode® GS16), 360° Adjustable Exhaust, Adjustable Depth Control, Powerful, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses

1/2" Crown





Weight: 2 lbs. 13 oz.
Dimensions: 9-1/2" L x 2-1/2" W x 8-1/4" H

TS6825 18 GAUGE MEDIUM CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
TS6825	168 Staples	3/8" to 1" 9mm to 25mm	18	Selectable



Applications:

Cabinet Assembly, Case Backing, Drawer Assembly, Furniture Assembly, Siding*

Features:

Uses Spotnails® 6800 Staples (Similar to Senco® M & Duo-Fast® W1800), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, **No Mar Safety Available (AS-53071)**, TS6825S String Feed Stapler Is Available, *TS6825V With Vinyl Siding Safety

3/8" Crown



Weight: 2 lbs. 13 oz.
Dimensions: 9-1/2" L x 2-1/2" W x 8-1/4" H

TS5825F 18 GAUGE MEDIUM CROWN FLARE STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
TS5825F	168 Staples	1" 25mm	18	Bump

Applications:

Bedding

Features:

Uses Spotnails® 5808PG-50M-L Staples (Similar to Bostitch® SL5035 & BeA® 92), 360° Adjustable Exhaust, Adjustable Depth Control, Hinged Nose-Plate for Easy Access, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Safety Glasses

5/16" Crown



Weight: 3 lbs. 9 oz.
Dimensions: 12" L x 2-1/2" W x 9-1/2" H

W1S4840 18 GAUGE NARROW CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
W1S4840	168 Staples	1/2" to 1-5/8" 12mm to 40mm	18	Selectable


Applications:

Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Floor Underlayment, Furniture Assembly, Underlayment

Features:

Uses Spotnails® 4800 Staples (Similar to Senco® L & Duo-Fast® 1800), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, **Long Magazine is Available (W1S4840LM)**

1/4" Crown



Weight: 3 lbs. 0 oz.
Dimensions: 9-1/2" L x 2-1/2" W x 8-1/4" H

TS4825 18 GAUGE NARROW CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
TS4825	168 Staples	3/8" to 1" 9mm to 25mm	18	Selectable


Applications:

Cabinet Assembly, Door & Window Manufacturing, Floor Underlayment, Furniture Assembly, Underlayment

Features:

Uses Spotnails® 4800 Staples (Similar to Senco® L & Duo-Fast® 1800), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses

1/4" Crown



Weight: 2 lbs. 13 oz.
Dimensions: 11-1/2" L x 2-1/2" W x 8" H

TS3832 18 GAUGE NARROW CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
TS3832	168 Staples	1/2" to 1-1/4" 12mm to 32mm	18	Selectable


Applications:

Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Floor Underlayment, Furniture Assembly, Underlayment

Features:

Uses Spotnails® 3800 Staples, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, **Long Magazine Is Available (TS3832LM)**

3/16" Crown






Weight: 4 lbs.11 oz.
Dimensions: 12" L x 2-1/2" W x 9-1/2" H

W1S4840W6 18 GAUGE NARROW CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
W1S4840W6	168 Staples	1-3/8" 35mm	18	Selectable

Applications:
Engineered Hardwood Floor Installation, Hardwood Flooring, Tongue & Groove Flooring

Features:
Uses Spotnails® 4811PN Nylon Coated Staples (Similar to Senco® L & Duo-Fast® 1800) To Increase Holding Power, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Restrictive Trigger Available, Plastic Carrying Case, Safety Glasses



X1S1640RFH X1S3640RFH 16 GAUGE WIDE CROWN RADIANT FLOOR STAPLERS

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S1640RFH	150 Staples	1" to 1-1/2" 25mm to 38mm	16	Selectable
X1S3640RFH				


Applications:
Radiant Floor Heating

Features:
X1S1640RFH Uses Spotnails® 1600 Staples (Similar to Bostitch® 16S2)

X1S3640RFH Uses Spotnails® 3600 Staples (Similar to Senco® P & Duo-Fast® 1700)

360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Two Guide Blocks for Tubing, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105)

Weight: 9 lbs. 1 oz.
Dimensions: 14" L x 3-1/2" W x 36-1/2" H




Weight: 10 lbs. 0 oz.
Dimensions: 17" L x 3-1/2" W x 21" H

FS7550 FLOORING STAPLER FCL2650 CLEAT FLOORING TOOL

Tool	Magazine Capacity	Fastener Range	Gauge	Exhaust
FS7550	100 Staples	1-1/2" to 2" 38mm to 50mm	15	Rear
FCL2650	100 Cleats		16	

Applications:
Hardwood Flooring, Tongue & Groove Flooring

Features:
FS7550 Uses Spotnails® 7500 Staples (Similar to Bostitch® BCS15S4)
FCL2650 Uses Spotnails® 26124, 26128 & 26132 'L' Flooring Cleats
Air Assisted, Rubber Mallet Included, Plastic Carrying Case, Rubber Grip for Comfort, Safety Glasses



PS7116 PS8016 PS5016 PSA1116



Weight: 2 lb. 3 oz.
Dimensions: 8" L x 1-1/2" W x 6" H

Tool	Staple Capacity	Staple Range	Gauge	Crown	Exhaust
PS7116	100 Staples	1/8" to 9/16"	22	3/8"	Front
PS8016	100 Staples	3mm to 14mm	20	1/2"	
PS5016	84 Staples	1/4" to 9/16"	20	1/2"	
PSA1116	100 Staples	6mm to 14mm	20	3/8"	

Applications:

PS7116: Automotive Vinyl & Interior Trim, Bedding, Insulation Installation, Picture Frames, Poly Sheeting, Screening, Upholstery

PS8016, PS5016 & PSA1116: Insulation Installation, Picture Frames, Poly Sheeting, Roofing Felt Installation, Screening, Upholstery

Features:

PS7116 Uses Spotnails® 71 Staples, (Similar to Senco® C/BeA® 71)

PS8016 Uses Spotnails® 80 Staples, (Similar to BeA® 80)

PS5016 Uses Spotnails® 35000 Staples, (Similar to Duo-Fast® 50)

PSA1116 Uses Spotnails® 85000 Staples, (Similar to Rapid® A11/Arrow® T50)

Bottom Load, Front Exhaust, Plastic Carrying Case, Rubber Grip for Comfort

IS7116



Weight: 2 lb. 2 oz.
Dimensions: 9-1/4" L x 1-1/2" W x 6" H

Tool	Staple Capacity	Staple Range	Gauge	Crown	Exhaust
IS7116	100 Staples	1/8" to 9/16" 3mm to 14mm	22	3/8"	Rear

Applications:

Automotive Vinyl & Interior Trim, Bedding, Insulation Installation, Picture Frames, Poly Sheeting, Screening, Upholstery

Features:

IS7116 Uses Spotnails® 71 Staples, (Similar to Senco® C/BeA® 71) Bottom Load, Rear Exhaust, Rubber Grip for Comfort

JS7116LN JS5016LN



Weight: 2 lb. 5 oz.
Dimensions: 8-1/2" L x 1-3/4" W x 8" H

Tool	Staple Capacity	Staple Range	Gauge	Crown	Exhaust
JS7116LN	100 Staples	1/8" to 9/16" 3mm to 14mm	22	3/8"	Front
JS5016LN	84 Staples	1/8" to 9/16" 3mm to 14mm	20	1/2"	

Applications:

JS7116LN: Automotive Vinyl & Interior Trim, Bedding, Picture Frames, Screening, Upholstery

JS5016LN: Picture Frames, Roofing Felt Installation, Screening, Upholstery


Features:

JS7116LN Uses Spotnails® 71 Staples, (Similar to Senco® C/BeA® 71)

JS5016LN Uses Spotnails® 35000 Staples, (Similar to Duo-Fast® 50)

Bottom Load, Front Exhaust, Plastic Carrying Case, Rubber Grip for Comfort

BS7116AF BS8016AF BS5016AF BSA1116AF



Weight: 2 lb. 6 oz.
Dimensions: 15-1/4" L x 1-1/2" W x 5-1/2" H

Tool	Staple Capacity	Staple Range	Gauge	Crown	Exhaust
BS7116AF	200 Staples	1/8" to 9/16"	22	3/8"	Rear
BS8016AF	200 Staples	3mm to 14mm	20	1/2"	
BS5016AF	168 Staples	1/4" to 9/16"	20	1/2"	
BSA1116AF	168 Staples	6mm to 14mm	20	3/8"	

Applications:

BS7116AF: Automotive Vinyl & Interior Trim, Bedding, Insulation Installation, Picture Frames, Poly Sheeting, Upholstery

BS8016AF, BS5016AF & BSA1116AF: Insulation Installation, Picture Frames, Poly Sheeting, Roofing Felt Installation, Upholstery

Features:

BS7116AF Uses Spotnails® 71 Staples, (Similar to Senco® C/BeA® 71)

BS8016AF Uses Spotnails® 80 Staples, (Similar to BeA® 80)

BS5016AF Uses Spotnails® 35000 Staples, (Similar to Duo-Fast® 50)

BSA1116AF Uses Spotnails® 85000 Staples, (Similar to Rapid® A11/Arrow® T50)

Adjustable Speed For Auto Fire, Bottom Load, Fast, Lightweight, Rear Exhaust, Rubber Grip for Comfort



Weight: 3 lbs. 12 oz.
Dimensions: 14"-1/2" L x 4-1/4" W x 11-1/2" H

HSC3519A HSC3219C MANUAL CARTON CLOSING STAPLERS



Tool	Staple Capacity	Staple Range	Exhaust
HSC3519A	100 Staples	5/8" to 3/4" 16mm to 19mm	None
HSC3219C			

Applications:

Carton Closing—For Use Where Compressed Air Is Not Available, Packaging

Features:

HSC3519A Uses Spotnails® CC58A & CC34A 1-3/8" Crown Carton Closing Staples
HSC3219C Uses Spotnails® CC58C & CC34C 1-1/4" Crown Carton Closing Staples
Easy Adjustment for Clinch Control, Staple Depth, Staple Length, Rear Load Magazine



Weight: 4 lbs. 8 oz.
Dimensions: 13" L x 4-1/2" W x 8-1/2" H

KSC3519A KSC3219C PNEUMATIC CARTON CLOSING STAPLERS



Tool	Staple Capacity	Staple Range	Exhaust
KSC3519A	100 Staples	5/8" to 3/4" 16mm to 19mm	Rear
KSC3219C			

Applications:

Carton Closing, Packaging

Features:

KSC3519A Uses Spotnails® CC58A & CC34A 1-3/8" Crown Carton Closing Staples
KSC3219C Uses Spotnails® CC58C & CC34C 1-1/4" Crown Carton Closing Staples
Easy Adjustment for Clinch Control, Staple Depth, Staple Length, Rear Load Magazine



Weight: 5 lbs. 15 oz.
Dimensions: 4-1/2" L x 9-1/4" W x 8-3/4" H

KSR3219R KRSWC7437 PNEUMATIC CARTON CLOSING ROLL STAPLERS


Tool	Staple Capacity	Staple Range	Exhaust
KSR3219R	1000 Staples	5/8" to 3/4" 16mm to 19mm	Rear
KRSWC7437			

Applications:

Carton Closing, Packaging

Features:

KSR3219R Uses Spotnails® CCCR1, 1-1/4" Crown Carton Closing Staples
KRSWC7437 Uses Spotnails® CCBR1, 1-3/8" Crown Carton Closing Staples
Air Operated Carton Closing Roll Stapler, Easy Adjustment for Clinch Control, Staple Depth, Staple Length, Rear Load Magazine



Weight: 4 lbs. 8 oz.
Dimensions: 14" L x 2" W x 10-1/4" H

DSP103020 DSP777 DSP779 DSP5019 PNEUMATIC CARTON CLOSING PLIER STAPLERS



Tool	Staple Capacity	Staple Range	Exhaust
DSP103020	102 Staples	3/8" to 5/8" 10mm to 16mm	Side
DSP777	102 Staples		
DSP779	220 Staples		
DSP5019	168 Staples		

Applications:

Carton Closing, Fastening Corrugated Packaging, Packaging

Features:

DSP103020 Uses Spotnails® 91200 Staples, (Similar to Bostitch® SB103020)
DSP777 Uses Spotnails® 94200 Staples, (Similar to JK777)
DSP779 Uses Spotnails® 95500 Staples, (Similar to JK 779)
DSP5019 Uses Spotnails® 67500 Staples, (Similar to Bostitch® SB5019/Senco® F / Paslode® PW50)
Heavy Duty




Optional Clinchers Available – See Accessories, Page 16

BOT-3222C-AM



BOT-3222C-AM BOT-3222C-PM
MANUAL BOTTOMER STAPLERS

Tool	Staple Capacity	Staple Range	Crown
BOT-3222C-AM	300 Staples	5/8" to 3/4" 16mm to 19mm	1-1/4"
BOT-3222C-PM			



Applications:

Carton Closing, Foot Stapler, Packaging

Features:

BOT-3222C-AM: Arm Manual Bottomer, Foot Operated
BOT-3222C-PM: Post Manual Bottomer, Foot Operated
 Uses Spotnails® CC58C & CC34C 1-1/4" Crown Carton Closing Staples, For Bottom Closing of Corrugated Cardboard Where Compressed Air is Not Available

Weight: 75 lbs.

Dimensions: 36-1/2" L x 30" W x 53-1/4" H



BOT-3222C-PM
 Anvil Height 41"

BOT-3222C-AP



BOT-3222C-AP BOT-3222C-PP
PNEUMATIC BOTTOMER STAPLERS

Tool	Staple Capacity	Staple Range	Crown
BOT-3222C-AP	300 Staples	5/8" to 3/4" 16mm to 19mm	1-1/4"
BOT-3222C-PP			



Applications:

Carton Closing, Foot Stapler, Packaging

Features:

BOT-3222C-AP: Arm Pneumatic Bottomer Stapler
BOT-3222C-PP: Post Pneumatic Bottomer Stapler
 Uses Spotnails® CC58C & CC34C 1-1/4" Crown Carton Closing Staples Air-Operated Bottom Closing of Corrugated Cardboard Boxes

Weight: 80lbs.

Dimensions: 36-1/2" L x 30" W x 53-1/4" H

BOT-3222C-PP
 Anvil Height 41"

SPECIALTY TOOLS



X1C1008

Weight: 5 lbs. 3 oz.
Dimensions: 14" L x 3-1/2" W x 9-1/4" H



X1C1016

Weight: 5 lbs. 3 oz.
Dimensions: 14" L x 3-1/2" W x 9-1/4" H



RC1016

Weight: 4 lbs. 7 oz.
Dimensions: 14" L x 2-3/4" W x 9-1/4" H

X1C1008 X1C1016 RC1016 CORRUGATED FASTENERS

Tool	Capacity	Range	Crown	Firing Mode
X1C1008	156 Fasteners	1/4" to 5/8" 6mm to 16mm	1/2"	Restrictive
X1C1016	120 Fasteners		1"	
RC1016	120 Fasteners		1"	

Applications:

X1C1008 Cabinet Assembly, Drawer Assembly, Furniture Assembly, Picture Frames

Features:

X1C1008 Uses Spotnails® FFSMICRO6, FFSMICRO8, FFS-MICRO10, FFSMICRO12, FFSMICRO15, 1/2" Crown Fasteners, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses

Special Features:

X1C1008 Has A Special Angled Nose For More Precise Placement, Long Driver Blade For Deep Countersink, Hinged Nose-Plate For Easy Access

Applications:

X1C1016 & RC1016 Furniture Assembly, Hollow Core Doors, Pallet Repair, Truss Manufacturing

Features:

X1C1016 & RC1016 Uses Spotnails® 416, 616, 816 & 1016, 1" Crown Fasteners, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses

Special Features:

RC1016 Is Used For Stringer Repair, Narrow Enough To Get Between Slats



X1C1008

1/2" Crown



X1C1008

1" Crown



X1C1016
RC1016



Weight: 1 lbs. 0 oz.
Dimensions: 6-3/4" L x 3/4" W x 3-7/8" H

07020 CLIPPER PLIER STAPLER


Tool	Capacity	Range	Gauge	Crown
07020	210 Staples	1/4" 16mm	26	1/2"

Applications:

Bag Closing, Dry Cleaner Tagging, Laundry Tagging, Office Stapler, Packaging

Features:

Uses Spotnails® 70001 1/2" Undulated Crown Staples For Greater Holding Power, or Spotnails® 76001 in 1/4" Length, 2-5/8" Throat Depth, All Steel Construction, Can Use Standard Office Staples, Chrome Finish, Heavy Duty, No Cords, No Hoses, No Outlets



Standard
Staple

LONG MAGAZINE TOOLS



W1B1650LM

Weight: 3 lbs. 9 oz.
Dimensions: 9" L x 2-1/2" W x 9-1/2" H



X1S6650LM

Weight: 5 lbs. 2 oz.
Dimensions: 25" L x 3" W x 9" H

Tool	Capacity	Range	Gauge	Crown
W1B1650LM	200 Fasteners	1" to 2" 25mm to 50mm	16	Brad
W1B1850LM	200 Fasteners		18	Brad
MS7564LM	200 Fasteners	1-1/2" to 2-1/2" 38mm to 64mm	15	1/2"
X1S3640LM	300 Fasteners	1/2" to 1-1/2" 25mm to 38mm	16	1"
X1S6650LM	337 Fasteners	5/8" to 2" 16mm to 50mm	16	7/16"
MS6650iLM	337 Fasteners	1/2" to 1-5/8" 12mm to 40mm	16	7/16"
W1S4840LM	300 Fasteners	1-1/2" to 2-1/2" 38mm to 64mm	18	1/4"
TS3832LM	300 Fasteners	1/2" to 1-1/4" 12mm to 32mm	18	3/16"

All Tools Have Normally On Remote Valve – For Additional Options see Page 16



Weight: 4 lbs. 0 oz.
Dimensions: 14" L x 7-1/2" W x 7" H

GCS8116 20 GAUGE CAP STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
GCS8116	200 Staples/200 Caps	5/8" 16mm	20	Bump

Applications: Housewrap Installation, Roofing, Roofing Installation, Synthetic, Underlayment, Tar Paper

Features: Uses Spotnails® 136225, 3/8" Crown Staples, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case



Weight: 4 lbs. 13 oz.
Dimensions: 13-1/2" L x 9-1/2" W x 8-1/2" H

LCS6838 18 GAUGE CAP STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
LCS6838	200 Staples/200 Caps	5/8" & 7/8" 16mm & 22mm 1-1/4" & 1-1/2" 32mm & 38mm	18	Selectable

Applications: Housewrap Installation, Insulation Installation, Roofing, Roofing Felt Installation, Synthetic Underlayment, Tar Paper

Features: Uses Spotnails® 136025 – 136095 Staples, 3/8" Crown Staples, 360° Adjustable Exhaust, Adjustable Depth Control, Blue Adjustable Trigger, Clear Cap Basket, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Safety Glasses



Weight: 4 lbs. 9 oz.
Dimensions: 14" L x 6" W x 9" H

136250 CAP NAILER

Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
136400	200 Caps/200 Nails	1" 25mm	.083	Bump

Applications: Housewrap Installation, Insulation Installation, Roofing, Roofing Felt Installation

Features: Uses 136260 1" NailPac, 360° Adjustable Exhaust, Nail Basket, Rubber Grip for Comfort, Plastic Carrying Case, Safety Glasses



Weight: 2 lbs. 6 oz.
Dimensions: 17" L x 2" W x 5" H



Weight: 2 lbs. 9 oz.
Dimensions: 13-1/2" L x 5-1/4" W x 5-1/2" H


136400 136401 CAP HAMMER TACKERS

Tool	Staple Capacity	Staple Range	Gauge	Crown
136400	168 Staples/Caps	3/8"	20	3/8"
136401		10mm		

Applications: Housewrap Installation, Roofing

Features: 136400 & 136401 Uses 136420 3/8" Crown Staples, Airless Cap System, No Cords, No Hoses, No Outlets, Rubber Grip for Comfort

Special Features: 136401 Auto Feed Cap Hammer, No Trigger to Advance Caps, Just Swing Hard



35001 Weight: 2 lbs. 10 oz.
Dimensions: 11-1/2" L x 1-1/2" W x 3-1/4" H

84001 Weight: 2 lbs. 0 oz.
Dimensions: 10-1/2" L x 1" W x 2" H

85000 Weight: 2 lbs. 10 oz.
Dimensions: 12" L x 1-1/2" W x 2" H

35001 84001 85000 HAMMER TACKERS

Tool	Staple Capacity	Staple Range	Gauge	Crown
35001	168 Staples	1/4" - 3/8"	20	1/2"
84001	125 Staples		23	3/8"
85000	168 Staples		20	3/8"

Applications: 35001, 84001 & 85000 Carpeting, Housewrap Installation, Insulation Installation, Poly Sheeting, Roofing, Roofing Felt Installation, Tar Paper

Features: 35001 Uses Spotnails® 35500/36505 Staples, (Similar to Duo-Fast® 50) Bottom Load
84001 Uses Spotnails® 84504 Staples, (Similar to Rapid® 19) Rear Load
85000 Uses Spotnails® 85000 Staples, (Similar to Rapid® A-11 / Arrow® T50) Rear Load, Economical, Fast, Lightweight, No Cords, No Hoses, No Outlets, Portable



Optional Tool Accessories

ANVIL ACCESSORIES - DSP TOOLS



B Type
Raised Anvil



CL Type
C Shaped Left



CR Type
C Shaped Right



DR Type
D Shaped Right



DL Type
D Shaped Left

REFER TO PARTS DIAGRAM FOR DETAILS

COMPACT PRESSURE REGULATOR 50 PSI



AS-97412
For All DSP Plier Tools

GUN HOOKS



RE-SH001
Spring Hook



RE-GH10
Gun Hook

QUICK CONNECT FITTINGS



P-30101
1/4" NPT



P-30119
1/4" NPT



P-30123
3/8" NPT

KD STANDARD SAFETY



For W1S4840
AS-99080

LATHING OR ROOFING SAFETY



For 16 Gauge Wide
Crown Tools, 1-1/2" Max.
AS-53085 For Lathing
AS-53086 For Roofing

VINYL SIDING ATTACHMENT KIT



AS-53088 For X1S Body Tools
AS-99087 For 18 Gauge Medium Crown Tools

STAPLE REMOVERS

P-97491
Carton Closing
Remover



P-97482
Upholstery Staple
Remover

UNIVERSAL WALKING STICK

For All T, W, W1, X & X1 Body Tools
AS-99105



CUSTOM MODIFICATION IS AVAILABLE

MALLETS

Dead Blow
P-97443




No Mar Face
P-97473

REMOTE VALVES



Air Pilot
Normally
On




Air Pilot
Normally
Off



24 VDC
Normally
Off

MOUNTING SYSTEM KIT



CUSTOM MOUNTING BRACKETS AVAILABLE

Description	X1 & M Body	C, J, P, S & W1 Body
Air Pilot N/On	AS 97290	AS 97269
Air Pilot N/Off	AS 97401	AS 97404
24 VDC N/Off	AS 97390	AS 97405

KEY CODE

 DUO-FAST®	 SPOTNAILS®	 PASLODE®
 SENCO®	 BOSTITCH®	 JK® /BEA® /RAPID®

SPOTNAILS FASTENERS	Spotnails®	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
2-6D113 - 2-16D131 20-22° Nails 2" - 3-1/2"	NPR90 YPR90	FramePro 502 FRH, 600 FramePro 650/651/602/652 GT90RFH, SN902/952XP FramePro 702XP/752XP-FRH SN60, SN65, SN65C	CN350 SNP-83 CN-137 NSP-350F New DF350CN	F21PL N95RHN KN85PP-1 N88RH/N86S RN90	5350/SRH-20 5325/SRH	FR350	NR83A (20°) NR90	GRTRH350	D51850 D51845 D51844 DCN692M1 DW325PL	AN923 AN8300 AN922	SN80/90 SN883RH SN890RH GS683RH GS683H-EX	Rigid: R350CHA Fasco: F5C-RHN20-90A Fasco: F6C-RHN20-100A Fasco: F5C-RHN20-83 Fasco: F6 RHN20-90
31° - 34° Paper Tape Nails .120 - .131 2-3/8" - 3"	YTD90 NTD90	SN70XP, SN951XP SN2+, SN3, SN70 FramePro 701XP/751XP FramePro 601/651/600/650 FramePro 700 FramePro 750 SN325+, SN2, SN4 SN901XP GT90CH		N90PT F33PT N79PT LPF33PT	PF350 Impulse 325 Impulse 350 IM CT 5300, 5325 5350 PM5350-90S F350S, F400S GN212, SK312	FC350 FM350	NR90AA NR90AD NR83AA3 NR83AA NR90GC	GRTRH350	D51825 D51823 D51822 DWF83PT DW325PT	AN943 AN942	SN890CH/34 SN883CH/34 GS683CH-EX	Rigid: R350CHA Fasco: F6 HHN 31-90 Fasco: R5C HHN 31-90
Joist Hanger Nails .131 - .148 1-1/2"		HN150 HN250		MCN150- STRAPSHOT	F250S-PP 5250/65S PP Impulse 325-PP PF150S-PP		NR65AK NR65AK(S)	GR150 GRSB150 GRSB250	DWMC150			Pneu: RN150 Pneu: RN250 Pneu: RNS150 Pneu: RNS250
CW Series Nails Flat Coil Nails .113 - .131 2-3/8" to 3-1/4"	YCN83	PalletPro 83 Coil Nail SCN65 SCN60 SCN300 SCN65XP	CNW-75 DCN-325/85L	N75C-1/ N89C-1 N80C/N80CB N86C N100C N100CPP N66C N400C-1	F275C F325C F4250/65CP F4275/CN70 5325/CN80 P350C	Coil 350	NV83A NV65AB NV65AE NV83A3	GRTC90	DW325C	AN901 AN611	CN70 to 2-3/4" Max CN80 CN80F to 3-1/4" Max CN100 CN890S to 3-1/2" CN890II CN665, HN90	Fasco: R5CN15W-90A Fasco: F5CCN15W90 Fasco: F5CCN15W75 Bea: T701 Bea: 900DC Bea: 800DC
CW Series Nails Pallet Nails .099 2" to 2-3/8"	MCW64 ZCN70	PalletPro 70 PalletPro 90 SCN45, SCN56 SCN60 SCN65 SCN200 SCN300 SCN60XP	CNW-75	N63CP N64CP N57C N70C N86C, N100C N70CB N80CB N100CPP	P275C P350C F4250/65CP 4275/CN70 5325/CN80 F275C F325C	Coil 250	NV65AB NV65AC	GRTCS250 GRTC90P		AN611 AN621	CN550S CN70 to 2-3/4" CN80 to 3-1/4" CN80F CN100 CN89011 CN565 CN890S	Fasco: F45C CN15W- -PS65 S.A Fasco: F5 CN15W-65 Fasco: R5 CN15W-65
CW Series Nails Flat Coil Nails .083 1-1/4" to 2-1/4"	LCN57 UCNM65	PalletPro 57F Coil Nail SCN45 SCN49		N64C N65CP N66C N55C, N50C	3225			GRTC57 GRTC90			HN65 CN65 CN55	Fasco: F44ACCN15W- -PS65 Fasco: F4PACCN15W-57A
CWC Nails Cone Coil Nails .083 1-1/4" to 2"	VCN50	SCN45					NV50A1				CN502	
CW Series Nails .090 Wire Weld 304 SS Nails, 1-1/2" to 2-1/2"	VCN50	SCN45 SCN49 SCN55 SCN56		N50C N55C NC65CP			NV65AB NV75AG	GRTCS250	DW66C-1		CN55 CN550S CN665	
CRN08G-CRN14G Roofing Coil Nails 1" to 1-3/4"	VRN45 YRN45	SCN200R SCN40R RoofPro 450 RoofPro 455XP	DRN-45 RN-175A	N12B RN45, RN46 RN45B N12-40	3175/44RCU R175C	134R RN175 RN175A	NV45AE(S) NV45AB NV45AC NV45AB2	GRTCR175	D51321 DW45RN	AN451 AN453	CN445R CN450R	Rigid: R175RNA Fasco: F3C CN15W-32 Fasco: R4 CN15W-45 Fasco: F4CN15W-45
CPD Series Nails 0° Degree Coil Plastic Nails 1-3/4" to 2-1/4" (Similar to Duo-Fast®)	QCND65		DCN-225 KDN-50A RCN-60 RCN-70/60A CNP-60Y CNP-65Y RCN-60/225ADJ					GRTCS250Z				
CPM Nails Plastic Coil - Max Type 2.25 x .092		SCN45 SCN56 SCN55S SCN49		N63CP N66C		Coil250	NV65AH HV75AG	GRTCS250		AN611	CN4525K CN552S, CN565S CN565D, CN890S HN65	Fasco: F45C CN15WPS-65
T08611H T-Nails 11/16"	XT8664 X1T8664			MIII812CNCT MA-097-T								Fasco: F45C NT-70 SS
1508APB/APG-1520APB/APG 15 Gauge DA Angle Brads 1" to 2-1/2" (Similar to Senco® DA)	XBA1564	FinishPro 41XP, 42XP SFN40 FinishPro 35 SFN1, SFN1+ SN1, SFN30, SFN2B Airfree 41 GT65DA	DAFN-6480	DA1564K		DA250A DA250B DAFN- 6480 CDA250	NT65MA3 NT65MA2 NT65AA NT65MA MT65GA NT65BPP9	GRTAN25	D51275 D51276K DC628K DWF72155	AF633 AF631 AF632	NF-550/15-65 NF665/15	Rigid: R250AFA Fasco: F3C BA-50 Fasco: F4 BA-65 Fasco: R3C BA-50C Fasco: R4 BA-65 Fasco: F48A-65CT
1512-1520 15 Gauge Brads 1-1/2" to 2-1/2"	XB1564											
1510FNG-1520FNG 15 Gauge FN Brads 1-1/4" to 2-1/2" (Similar to Bostitch® FN15)	XBFNG4			N52FN N59FN N60FN N62FN							NF510/15-50	

UNIVERSAL FASTENERS

SPOTNAILS FASTENERS	Spotnails®	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
16210FNG-16220FNG 16 Gauge Angle Brads 1-1/4" to 2-1/2" <i>(Similar to Paslode® Angled)</i>				N50FN	T250A-F16 T250-F16 3250-F16		DWFP72155		DC618K Cordless DC614KA Cordless DCN660B			
16512-16540 16 Gauge Brads 3/4" to 2-1/2"	WB1650 XB1564 W1B1650 CB1650	Finish Pro 32 Finish Pro 32XP Fusion F-16S	Sure Shot 764 LFN-748A 1-1/2" LFN-764A-2" BFN-740	FN1664K FN16250K-2 SB-1664-FN T40-B T36-50 T35-40 GFN1664K	T250-F-16 3250-F16 IM250-F16 MU-112, F16200	FN250 FN250A FN250B FN200	NT65M2 NT65A3 NT65GS NT65A2 NT65A NT65GSP9	GRTFN250	D51256 DC51257K DC612KA Cordless DC616KA Cordless		NF 352-ST/16-50 NF565/16	Rigid: R250SFA Haubold: SKS64A/16 Omer: 14.63NS, 14.50 Fasco: F3C FN-50A Fasco: F26C FN-50 Fasco: F3P FN50
18508-18532 (AX) 18 Gauge Brads 1/2" to 2"	WB1850 TB1840 CB1832 CB1850 EB1832 W1B1850	Finish Pro 15XP Finish Pro 18 XP Finish Pro 2N1 Finish Pro 25XP LS4 LS5 SLP20/LS1 SDN18BR	BB-4440 DBN-40525C Pro-5 DBN-4440 DBN-4450 SureShot 4450 SureShot 4450ST	BT1855K BT35B BT50B BT125SK BT200K T29-30,T31-1 SB01842BN SB01850BN SB-21N1	T125-F18 T200-F18 Cordless 901000 2138-F18 2138-F18II IM200-F18	BN125A BN138 BN200A/B BN200V12	NT45A NT32AE NT50AD NT50AE	GRTBN200	D51238 D51236K DC608K DC608B DC608K DWFP12233 DWFP12231	AF501 AF502 AF503 AF505	NF 211/18-25 NF 211/18-50 NF 221/18-55 NF255-ST/18 NF201/18-35 (PX Only) NF235-F/18	Rigid: R213BNA Omer: 12.20, 12.40 Omer: 12.50 Fasco: R3C-GN-50 Fasco: F21T GN-40A Fasco: F20 PGN-31 Fasco: F20 TGN-40 Fasco: F25C GN-40 Fasco: F26C GN-50
18508-18516 (AY) 18 Gauge Brads, 1/2" to 1" <i>(Similar to Senco® AY)</i>		SLP20, LS4/LS5 Finish Pro 25XP Fusion F-18						F21T GN-40A CT				Fasco: F2B GN50 Fasco: F21P GN-31 Fasco: F21T GN-40CT
18508 (AZ) 18 Gauge Brads, 1/2" <i>(Similar to Senco® AZ)</i>		LS1, SLP20XP	SureShot 2232									Fasco: F21P GA15/31A
23005-23032 23 Gauge Headless Pins 5/16" to 2"	SP2325 SP2340	SHP10 Finish Pro 10 Finish Pro 11	SureShot 2336	HP118K		Pin 100 Pin 138	NP35A	GRTPIN23		AF201Z	NF235A/23-35	Omer: PR.18, P.25, PR.28 Fasco: F1B A64 12/18 Rigid: R138HPA Cadex: CP-23-30 Cadex: CP-23-35 Cadex: CP-23-50 Grex: P650, P645, P635
1407PGH 14 Gauge 1" Wide Crown Staples - High Tensile, 7/8" <i>(Similar to Bostitch®)</i>				538S214								
2407PGH-2410PGH 15/16" Wide Crown Staples - High Tensile, 7/8" to 1-1/4" <i>(Similar to Paslode® GSW14)</i>	MS2440				4150-W14 MU-112-W14							
7512-7520 15 Gauge 1/2" Med Crown Staples, 1-1/2" to 2-1/2" <i>(Similar to Bostitch® BCS15S4)</i>	FS7550 MS7564		FloorMaster-- 200-S	MIII-FS			N5009AF	GR200FS	DWMIIIIFS			Primatech: P260 Primatech: P220
6510-6520 15 Gauge 7/16" Med Crown Staples, 1-1/4" to 2-1/2" <i>(Similar to Senco® Q)</i>	MS6564	SQS55XP	MS-1580D									
1605-1620 16 Gauge 1" Wide Crown Staples, 5/8" to 2-1/2" <i>(Similar to Bostitch® 16S2)</i>	XS1640, XS1650 XS1640RFH X1S1640 X1S1650 X1S1640RFH X1S1664			43852R T35-8 T35-32 450S2R T40S2-CT T50S2-1								Omer: WS.38 Fasco: F3C ATW-38
2605-2616 16 Gauge 15/16" Wide Crown Staples, 5/8" to 2" <i>(Similar to Paslode® GSW16)</i>	XS2640 XS2650 X1S2640 X1S2650				S150-W16R S200-W16 MU-112-W16R 3150-W16 3150-W16R 3200-W16		N5021A	GRTS1516				Omer: WK.38 Fasco: F3C PSW-38R Fasco: R3C PSW-39CT
3604-3616 16 Gauge 1" Wide Crown Staples, 1/2" to 2" <i>(Similar to Senco® P/ Duo-Fast® 1700)</i>	XS3640(LM) XS3650 XS3640RFH X1S3640(LM) X1S3650 X1S3640RFH	MW, MWXP-1, PW, PW-2" PW-R, PW 200 PW150/R SPS, SPS-RFR	KW-1748 RNS-1748I RS-1748 SW-1748				N5024A N3824A		GRTS1200	AT2550A		Omer: WP38 Fasco: R3C SNW-38TL Fasco: F3C SNW-38R
6605-6616 16 Gauge 7/16" Med Crown Staples, 5/8" to 2" <i>(Similar to Senco® N/Bostitch® 16S5)</i>	XS6650(LM) MS6650i X1S6650(LM)	M1, M2+, M2 SKS N12-N17 SNS45, SNS40, SNS41 SNS44XP, SNS45XP SNS50, SKSXP-N SNS200XP		438S5 538S5 650S5 T40S5 750S5		MS200	N5008AB N5008AC		D51430 GRTSM200	AT1150A	TA551A/16-11 TA551/16-11	Fasco: F4 PG-50 Fasco: F45C G-55 Fasco: R3 CG-40CT Fasco: R4 PG-50CT Fasco: F45C B7-55 SS
7605-7616 16 Gauge 1/2" Med Crown Staples, 5/8" to 2" <i>(Similar to Bostitch® 16S4)</i>	XS76-8650 MS76-8650i X1S76-8650			750S4 850S4 T55S4-1 T40S4-CT T36-1, T36-50 650S4 T50S4-1 438S4, T38								

SPOTNAILS FASTENERS	Spotnails®	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
8605-8616 16 Gauge 1/2" Med Crown Staples, 5/8" to 2" <i>(Similar to Paslode® GS16)</i>	XS76-8650 MS76-8650i X1S76-8650				IM200-S16 S200-S16 MA-S16L 3200-S16 3200-S16P 3150-S16 PA-200		N5010A		D51431			Fasco: R3C HD-40 VIL-SID Fasco: F45C GC/16-SS
5620-5664 16 Gauge 7/16" Med Crown Staples, 5/8" to 2" <i>(Similar to Duo-Fast® 7600/ Bostitch® 16S5/Paslode® GSI16)</i>	XS6650(LM) MS6650i X1S6650(LM)		KS-7648 1-1/2" MS-7664E 2" DS-7656P 1-3/4" DS-7664P 2w" SM-7648 SM-7664		3150/38 116 GSI 3150 3200-116 MA-GS116							
6712 17 Gauge 7/16" Med Crown Staples, 1-1/2" <i>(Similar to Senco® O/Bostitch® 17S5/BeA® 14)</i>	XS6650(LM) MS6650i X1S6650(LM)	M1, M2+, M2 SKS N12-N17 SNS45, SNS40, SNS41 SNS44XP, SNS45XP SNS50, SKSXP-N		438S5 538S5 650S5 T40S5 750S5		MS200	N5008AB N5008AC	GRTSM200	D51430	AT1150A	TA551A/16-11 TA551/16-11	Fasco: F4 PG-50 Fasco: F45C G-55 Fasco: R3 CG-40CT Fasco: R4 PG-50CT Fasco: F45C B7-55 SS
5803-5812 18 Gauge 5/16" Medium Crown Staples 92 Series, 3/8" to 1-1/2" <i>(Similar to Bostitch® SL5035)</i>	TS5825F			S32SL SL150 SB150SLBC								BeA: 92/25-553 BeA: 92/40-722 Fasco: F22A 92-25
6803-6812 18 Gauge 3/8" Medium Crown Staples, 3/8" to 1-1/2" <i>(Similar to Senco® M/Duo-Fast® W1800)</i>	TS6825 TS6825S TS6825V	SKS-M SLS20-M SLS25-M	DMS-W1832 SS W1848									Fasco: F21T SG-25
4803-4813 18 Gauge 1/4" Narrow Crown Staples, 3/8" to 1-5/8" <i>(Similar to Senco® L/Duo-Fast® 1800)</i>	WS4840 TS4825 WS4840W2 WS4840W4 WS4840W6 W1S4840 W1S4840W6	SLS15MG SKSN4450 KMN4450 SLS25XP LN4450, SKS L FinishPro 2N1 SLS18, SLS20	SureShot 1848F SureShot 1832 SureShot 1848 KB-1836 SureShot 1848SL KN1848A BN-1832 DNS-1840			NS100 NS150 N5008AB/3 N3804AB	N3804AB/3 N3804AB	GRTSN150	D51420K D51422K DWFFP1838	AT638	TA238/18-6	Rigid: R150FSA Kihlberg: PN6040V Fasco: F20P 90-25 Fasco: F20T 90-30 CT Fasco: F20T 90-40 CT Fasco: R3C 90-40 CT BeA: 90/25-552 BeA: 90/40-621 BeA: 90/32-611 Fasco: F2B 90-40 CT Fasco: F20P 90/25 Fasco: F20T 90-30 CT
4811PN 18 Gauge 1/4" Narrow Crown Staples, 1-3/8" <i>(Similar to Senco® L/Duo-Fast® 1800)</i>	WS4840W2 WS4840W4 WS4840W6 W1S4840W6											
1804-1812 18 Gauge 7/32" Narrow Crown Staples, 1/2" to 1-1/2" <i>(Similar to Bostitch® SX5035)</i>				S32SX SX150 SX1838K								
3804-3810 18 Gauge 3/16" Narrow Crown Staples, 1/2" to 1-1/4"	TS3832 AF3807S											Fasco: F3 38-30CT
2806-2812 18 Gauge 3/16" Narrow Crown Staples, 3/4" to 1-1/2" <i>(Similar to Paslode® GSN18)</i>					2125118 MU112-N18 2118-N18 2125-N18 3150-N18 S150-N18							
416-616-816-1016 1" Wide Corrugated Fasteners, 416-1/4", 616-3/8" 816-1/2", 1016-5/8" Lengths	XC1016 RC1016 X1C1016	SC2	DCF-100A	BA-T358								Fasco: R4P CF-12CT Fasco: F45C CF9- -15SS (CT) BeA: WM
FFSMICR06-FFSMICR015 1/2" Crown Corrugated Fasteners, 1/4" to 5/8"	XC1008 X1C1008											
TABFLEX15B Flex Points 5/8"												Omer: T53-Tab Tool
CC-A Carton Closing Staples 1-1/4" Crown 5/8" to 7/8"	HSC3519A KSC3519A			T541202 T541302 T541402 T551212 T551312 BTFFP12181 F84, F84-138 D16-2, D16-2AD DS-3522								CCC: HC-A, AC-A Kihlberg: a.560M Kihlberg: a.560M22 Kihlberg: a.560PN Kihlberg: a.560PN22 Klinch-Pak: KP-APN Klinch-Pak: KP-APN22 Klinch-Pak: KP-AM ISM: HB/HC 100T ISM: AB/AC 100T
CC-C Carton Closing Staples 1-1/4" Crown 5/8" to 3/4"	HSC3219C KSC3219C BOT-3222C-AM BOT-3222C-PM BOT-3222C-AP BOT-3222C-PP			T542202 T542302 T552212 T552312 BTFFP12180 F84-114 D19AD DS-3219								BeA: AT-C18 CCC: HC-C, AC-C Kihlberg: 561/56PN Kihlberg: a.561M Kihlberg: a.561M22 Kihlberg: a.561PN Kihlberg: a.561PN22 Klinch-Pak: KP-CN Klinch-Pak: KP-CM ISM: HB/HC 150T ISM: AB/AC 150T
CCB7437 Carton Closing Staples 1-3/8" Crown 5/8" to 3/4"				D16-2 D16-2AD F84 DS-3522								


UNIVERSAL FASTENERS

SPOTNAILS FASTENERS	Spotnails®	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
CCRR1 Carton Closing Roll Staples 1-1/4" Crown 5/8" to 3/4"	KSR3219R											CCC: RC1000 Kihlberg: R557PN Klinch-Pak: KP-RR1
CCGR1 Carton Closing Roll Staples 1-1/4" Crown 5/8" to 3/4"	KSR3219G											Klinch-Pak: KP-GR1 ISM: RA1000T ISM SRB-GR
CCBR1 Carton Closing Roll Staples 1-3/8" Crown 5/8" to 3/4"	KSRSWC7437			D61ADC, D62ADC D60ADC FC95EC FC95EC-ARM FC96EC								Klinch-Pak: KP-SWC
136025-136095 Cap Staples, 5/8" to 1-1/2"	TCS6832 LCS6838											
136225 Cap Staples, 5/8"	GCS8116											
136420 StaplePac, 3/8"	136400 136401											
136260 Cap Nails, 1"	136250											
26124-26132 16 Gauge Flooring 'L' Cleat 1-1/2" to 2"	FCL2650	SHF50/15/10 SHF200	FloorMaster- -200-C FM245L FM250ALR	HFN1 MIIFN MFN200 MFN201		FCN200		GR200LCN				Powernail: 445/445Flex Powernail: 45/45R Primatech: P210/P240
28220-28128 18 Gauge Flooring 'L' Cleat 1-1/4" to 1-3/4"												Powernail: 50P Powernail: 50M Flex Primatech: Q550 Primatech: Q500 Primatech: Q510
U Crown Mattress Staple 16 Gauge 3/8" Wide Crown, 3/4"				BCAR-2S BCAR1B-495-92L								
Hog Rings 69012 D-Ring, 3/4"	RH22			TR201 TR203								BeA: HR60-22 King Hughes: KRF-G22
Hog Rings 69020 C-Ring, 3/4"				SC7 SC7C								
31002-31009 3/8" Crown Fine Wire Staple, 1/8" to 9/16" (Similar to Duo-Fast® 3100)			SS 3118 SS3118 DLAF									Fasco: F1A31-16
34510H-34512H 3/16" Crown-High Tensile Fine Wire Staple, 5/8" to 3/4" (Similar to Duo-Fast® 3400 Series)			SureShot-3424									
35504-35509/36505 1/2" Crown Fine Wire Staple 1/4" to 9/16" (Similar to Duo-Fast® 5000)	35000 DS5016, JS5016 JS5016LN BS5016AF 35001 PS5016		SS5020 SS5020S SS 5020 DLAF HT550, CT859 CS-5000									BeA: 95/14 Kihlberg: 64 Fasco: F1A 50-16 BeA: 95/16-425 Fasco: F1B 50-16 Omer: 50.16 Omer: 50.16CL
32506-32509/34509 3/16" Crown Fine Wire Staple, 3/8" to 9/16" (Similar to Duo-Fast® 5400)			SS 5424 ENC-5418 BN-5424	CR1000E								Fasco: F1A 54DF-18 Fasco: F1B 54DF-18
37506-37516 3/16" Crown Fine Wire Staple, 3/8" to 1" (Similar to Duo-Fast® 6400)			SS6432									Fasco: F21P 64DF-25A
30207H-30212H 1/2" Crown-High Tensile Fine Wire Staple, 7/16" to 3/4" (Similar to Duo-Fast® 6500)			SureShot6524									
38506-38509/35706 1/2" Crown Fine Wire Staple, 3/8" to 9/16" (Similar to Duo-Fast® 7500)	35700		HT755									
91206-91210 1/2" Crown Fine Wire Staple, 3/8" to 5/8" (Similar to Bostitch® SB103020)	DSP103020			P51-10B								
83506 3/8" Crown Fine Wire Staple, 3/8" (Similar to Bostitch® SHCR5019)				H2B								
82504-82509 7/16" Crown Fine Wire Staple, 1/4" to 9/16" (Similar to Bostitch® STCR5019)				PC2K H30-8D6 H30-8, T5-8 ET5, T15								Kihlberg: R-19 Fasco: F1BSR5-16


SPOTNAILS FASTENERS	Spotnails®	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
81504-81508 3/8" Crown Fine Wire Staple, 1/4" to 1/2" (Similar to Bostitch® STCR2619)				H30-6 T5-6 P6C-6 PC3000-0C2 T5-60C2								
67504-67508 1/2" Crown Fine Wire Staple, 1/4" to 1/2" (Similar to Bostitch® SB5019/ Senco® F/Paslode® PW50)	DSP5019	DFP, J5 SFW10XP-F SJS-F SJ10-F		P51-5B-E P50-5B								Fasco: F1A SR5-16
78504 1/4" Fine Wire Staple, 1/4" (Similar to Bostitch® STCR2115)				B-8P								
73004 3/8" Crown Fine Wire Staple, 1/4" (Similar to Bostitch® SP19)				P-3								
97506-97516 3/16" Crown Fine Wire Staple, 3/8" to 1"	TEM2132			LHF97125-2 BA-T407, BA-T510 S3297		FCN200		GR200LCN				
85504-85509/86506 3/8" Crown Fine Wire Staple, 1/4" to 9/16" (Similar to Rapid A11®/Arrow® T50)	85000 JSA1116 BSA1116AF PSA1116	H Slap Hammer PC0705	Slapshot	PHT150C TR100 TRE500								Arrow: T-50, HT-50 Rapid: A-11, R-11 Fasco: F1A A11-16 Fasco: Auto L/M
84504 3/8" Crown Fine Wire Staple, 1/4" (Similar to Rapid® A19)	84000 84001											Rapid: R-19
94206-94210 1/2" Crown Fine Wire Staple, 3/8" to 5/8" (Similar to JK777)	DSP777											Kihlberg: JK-20T-L
95506-95510 1/2" Crown Fine Wire Staple, 3/8" to 5/8" (Similar to JK779)	DSP779											Kihlberg: JK-20T JK-20T-L
77505 1/2" Crown Fine Wire Staple, 5/16" (Similar to 24/8 Staples)												Zenith Plier Staples Rapid R-1 Binding Stapler
74001 1/2" Crown Fine Wire Staple, 1/4" (Similar to 26/6 Standard Staple)												Office Staplers
70001 1/2" Crown Fine Wire Staple, 1/4" Undulated Staples	07020											
87002-87009 3/8" Crown Fine Wire Staple, 1/8" to 9/16" (Similar to Senco® C)	DS7116 JS7116, IS7116 JS7116LN BS7116AF PS7116	SJS JG SFTB SFW10XP-C	BN5424	21671B 21671B-LN 21671B-A 21671B-ALM		US58						Kihlberg: 20/670 Haubold: PN814 Fasco: F1B 7C-16, F23G-16 BeA: 71/16-421
98004-98009 1/2" Crown Fine Wire Staple, 1/4" to 9/16" (Similar to BeA® 80)	DS8016 JS8016 JS8016LN BS8016AF PS8016			21680B 21680BLN 21680B-ALM								BeA: 80 Haubold: PN814 Kihlberg: JK-20-680
99004-99009 3/8" Crown Fine Wire Staple, 1/4" to 9/16" (Similar to Haubold® 1400)												Haubold: PN1416F Haubold: PN141G

Common Types of Staples


Chisel Point




Cross Chisel




Divergent Point





Outward Clinch





Don't See An Item You Want? We Produce Run To Order Items!


21° ROUND HEAD NAILS		
	Stock #	Length
	2-8D113SSR	2-3/8"
	2-10D120SSR	3"
	2-12D120SSR	3-1/4"


JOIST HANGER NAILS		
	Stock #	Length
	TRJ4D148SS-2M	1-1/2"


ROOFING NAILS		
	Stock #	Length
	CRN10SSR-3.6M	1-1/4"
	CRN12SSR-3.6M	1-1/2"
	CRN14SSR-3.6M	1-3/4"


COIL FENCING NAILS		
	Stock #	Length
	CW4D090SSR-3.6M	1-1/2"
	CW5D090SSR-3.6M	1-3/4"
	CW5.5D090SSR-3.6M	1-7/8"
	CW6D090SSR-3.6M	2"
	CW7D090SSR-3.6M	2-1/4"
	CW8D090SSR-3.6M	2-1/2"


15 GAUGE DA ANGLE BRADS SIMILAR TO SENCO® DA 4M BOXES		
	Stock #	Length
	1516APS	2"
	1520APS	2-1/2"


15 GAUGE DA ANGLE BRADS SIMILAR TO SENCO® DA 1M CLAMSHELL PACK		
	Stock #	Length
	15112APS	1-1/2"
	15116APS	2"
	15120APS	2-1/2"


15 GAUGE FN ANGLE BRADS SIMILAR TO BOSTITCH® FN15 1M CLAMSHELL PACK		
	Stock #	Length
	15112FNS	1-1/2"
	15116FNS	2"
	15120FNS	2-1/2"


16 GAUGE ANGLE BRADS SIMILAR TO PASLODE® ANGLED 1M CLAMSHELL PACK		
	Stock #	Length
	16112FNS	1-1/2"
	16116FNS	2"
	16120FNS	2-1/2"


16 GAUGE BRADS 2.5M BOXES		
	Stock #	Length
	16224SS	1-1/2"
	16232SS	2"
	16240SS	2-1/2"


16 GAUGE BRADS 1M CLAMSHELL PACK		
	Stock #	Length
	16124SS-8M	1-1/2"
	16132SS-8M	2"
	16140SS-8M	2-1/2"


16 GAUGE BRAD 316 SS - 1M CLAMSHELL PACK		
	Stock #	Length
	16124SS-8M-316	1-1/2"
	16132SS-8M-316	2"
	16140SS-8M-316	2-1/2"


18 GAUGE AX BRADS 1M CLAMSHELL PACK		
	Stock #	Length
	18110SS-8M	5/8"
	18112SS-8M	3/4"
	18116SS-8M	1"
	18120SS-8M	1-1/4"
	18124SS-8M	1-1/2"
	18132SS-8M	2"


18 GAUGE AX BRADS 5M CLAMSHELL PACK		
	Stock #	Length
	18516SS	1"
	18520SS	1-1/4"
	18524SS	1-1/2"
	18532SS	2"


23 GAUGE PINS 3M BOXES		
	Stock #	Length
	23308SS	1/2"
	23312SS	3/4"
	23316SS	1"


15 GAUGE STAPLES 1/2" MEDIUM CROWN SIMILAR TO BOSTITCH® BCS15S4		
	Stock #	Length
	7516PS-4.5M	2"

15 GAUGE STAPLES 7/16" MEDIUM CROWN SIMILAR TO SENCO® Q		
	Stock #	Length
	6520PS-6.2M	2-1/2"


16 GAUGE STAPLES 15/16" WIDE CROWN SIMILAR TO PASLODE® GSW16		
	Stock #	Length
	2608PS-10M	1"

16 GAUGE STAPLES 1" WIDE CROWN SIMILAR TO SENCO® P/DUO-FAST® 1700		
	Stock #	Length
	3608PS-10M	1"


16 GAUGE STAPLES 7/16" MEDIUM CROWN SIMILAR TO SENCO® N/BOSTITCH® 16S5		
	Stock #	Length
	6608PS-10M	1"
	6610PS-10M	1-1/4"
	6612PS-10M	1-1/2"
	6614PS-10M	1-3/4"
	6616PS-10M	2"




**16 GAUGE STAPLES
1/2" MEDIUM CROWN**
SIMILAR TO BOSTITCH® 16S4

	Stock #	Length
	7610PS-10M	1-1/4"
	7612PS-10M	1-1/2"
	7614PS-10M	1-3/4"
	7616PS-10M	2"


**16 GAUGE STAPLES
1/2" MEDIUM CROWN**
SIMILAR TO PASLODE® GS16

	Stock #	Length
	8608PS-10M	1"
	8610PS-10M	1-1/4"
	8612PS-10M	1-1/2"
	8614PS-10M	1-3/4"
8616PS-10M	2"	


**16 GAUGE STAPLES
7/16" MEDIUM CROWN**
SIMILAR TO DUO-FAST® 7600
BOSTITCH® 16S5/PASLODE® GSI16

	Stock #	Length
	5636PS-10M	1-1/8"
	5640PS-10M	1-1/4"
5648PS-10M	1-1/2"	


**18 GAUGE STAPLES
1/4" NARROW CROWN**
SIMILAR TO SENCO® L/DUO-FAST® 1800

	Stock #	Length
	4803PS-50M	3/8"
	4805PS-25M	5/8"
	4806PS-25M	3/4"
	4807PS-25M	7/8"
	4808PS-25M	1"
	4810PS-25M	1-1/4"
	4812PS-25M	1-1/2"


FLOORING CLEAT

	Stock #	Length
	26132SS	2"


FINE WIRE STAPLES 3/8" CROWN
SIMILAR TO DUO-FAST® 31

	Stock #	Length
	31004SS	1/4"
	31006SS	3/8"


**FINE WIRE STAPLES
1/2" CROWN STAPLES**
SIMILAR TO DUO-FAST® 50

	Stock #	Length
	35504SS	1/4"
	35506SS	3/8"
	35508SS	1/2"
	36504SS	1/4" DP
	36506SS	3/8" DP
36508SS	1/2" DP	


**FINE WIRE STAPLES
3/8" CROWN**
SIMILAR TO RAPID® A-11/ARROW® T-50

	Stock #	Length
	85506SS	3/8"


**FINE WIRE STAPLES
3/8" CROWN**
SIMILAR TO SENCO® C/BEA® 71

	Stock #	Length
	87003SS	3/16"
	87004SS	1/4"
	87006SS	3/8"
87008SS	1/2"	

**FINE WIRE STAPLES
1/2" CROWN**
SIMILAR TO BEA® 80

	Stock #	Length
	98004SS	1/4"
	98006SS	3/8"
98008SS	1/2"	

SPOTNAILS®



CONTACT US

1100 Hicks Road, Rolling Meadows, IL 60008

Phone: 800.873.2239 | Fax: 888.369.2588

Email: CustomerService@Spotnails.com

FIND US

For the Dealer Nearest You

[SPOTNAILS.COM/DEALER-LOCATOR](https://www.spotnails.com/dealer-locator)

For aftermarket parts and accessories, please visit:
[NailerParts.com](https://www.NailerParts.com) and [PartsKrafter.com](https://www.PartsKrafter.com)

 **PARTS KRAFTERS**

RELIABILITY
Provin